Executive Summary

Environment Committee

Item: 2007 - 356

Meeting date: October 23, 2007

For the Metropolitan Council Meeting of November 14, 2007

ADVISORY INFORMATION

Date: October 16, 2007

Subject: Ratification of Declaration of Emergency for Repair of Water Line

Break at Metro WWTP

District(s), Member(s): All

Policy/Legal Reference: Council Policy 3-3 Expenditures **Staff Prepared/Presented:** Richard Halsted 651-602-1038

Division/Department: MCES c/o William G. Moore 651-602-1162

Proposed Action/Motion

That the Metropolitan Council ratify the attached *Justification for and Declaration of Emergency* for repair of water line break at Metro WWTP.

Issue(s)

- A break in the water line going to the EPS Building fire hydrant caused a sink hole between the railroad tracks and the building.
- The sink hole could potentially damage the railroad tracks and without the fire hydrant there would be no fire coverage in that area of the plant.

Overview and Funding

The Metropolitan Council has delegated authority to the Regional Administrator to declare emergencies on behalf of the Council when the health, safety, or welfare of the public is compromised or potentially compromised, and immediate action is required to address the emergency. The emergency declaration is then presented to the appropriate implementation committee for approval, and placed on the following Council consent list for formal ratification.

The cost of repairs is estimated at \$50,000. Funding will be from the annual operating budget.

Metropolitan Council

Justification for and Declaration of Emergency

of Metropolitan Council employees or fac	gency situation in which the health, safety or welfare of the public or the safety illities is compromised or potentially compromised and requires immediate action
I REQUEST THAT A PUBLI	C EMERGENCY BE DECLARED, BASED UPON THE FOLLOWING:
Describe the nature of the emergency situation:	Water line going to EPS Building Fire Hydrant is broken by the rail tracks causing a sink hole.
Explain why this situation is a present, immediate, and existing emergency:	No fire coverage in that area of the Metro Plant.
Explain how this emergency does or will affect the healthy, safety, or welfare of the public or the safety of Metropolitan Council employees or facilities:	Area Fire station has been notified. Pipe break needs to be corrected for the safety of plant personnel and facility assets.
8/10	 Omplete reverse side of form and sign)

Form 4018/Rev 2 /10/11/2007

Sustification for and Declaration of Emergency, Page 2		
Describe the supplies or services which must be acquired to remedy this emergency	LAMETTI & SONS INC	
situation, including the estimated cost:	Estimated cost: \$50,000	
Identify how you chose the contractor(s) (Emergency Contractors List, vendor database, etc.):	The depth of the break is approx. 30 feet that requires equipment large enough to handle the job.	
Quotes are not required in declared emergencies. If quotes were obtained, describe your efforts to obtain them:	No other quotes obtained	
List the other vendors, if any, that have expressed an interest in providing goods or services relating to this emergency;	None	
If bereby certify that the information has sented on this form is accurate and complete to this heat of my knowledge and belief.		
Requestor's Signature: Offed Por Vitle :ABM - MBI Date: October 11, 2007		
Signature: Jan Schmidt General Manager/Division Director Date: 16/11/07		
Street on the flow information, an emergency equal to exists within the meaning of the Council Procurement Policy. Carrying out the competitive still be procured by the council of the Council of the Council of the Procurement Policy, and awaiting Council declaration of an emergency and approval for the purchase of materials or amplifies of the making of energency repairs would significantly and adjace plants delay the commencement of repair work.		
on the above-interenced project. The Metropolitan C	emergency/repairs would significantly and ignoscribiny delay the commencement of repair work of once), by its Procurency Folloy, has delegated authority to the Regional Administrator to declare Therefore. I declare on behalf of the Metropolitan Council, that an emergency exists as described.	
above and that the entergency situation requires the	immediate purchase of materials or supplies or the making of energency repairs. Lasthonize the a appropriate contracts and make payments for the purchase of materials or supplies or the making	
of repairs necessary to meet the emergency situation Folicy, and without prior approval of the Coseqil. It	a uppropriate contacts and make payments for the purchase of materials of supplies or the making without meeting other technical requirements of Council Procurement (for credit to correct the energiency situation total \$25,000 or make; I direct that this emergency presented to the Metropolizae Council for formal rathfication at its riext meeting.	
Signature: & Sill in	Regional Administrator Date: 10-11-05	

Form 4018/Rev 2 /10/11/2007